

# Final Examinations

on Algebra and Statistics





## Model Examinations of the School Book

on Algebra and Statistics

## Model 1

Answer the following questions :

1 Complete each of the following :

1  $2 \frac{1}{5} \times \dots = 1$

2 If the order of the median of a set of values is the fourteenth , then the number of these values equals .....

3  $0.18 - 30\% = \dots$

4  $7x^3y^2 \times \dots = 21x^3y^5$

5  $(2x - 3)(x + 5) = 2x^2 + \dots - 15$

2 Choose the correct answer from those given :

1 The rational number that lies one third of the way between 8 and 12 from the smaller is .....

(a)  $8 \frac{1}{3}$

(b) 10

(c)  $9 \frac{1}{3}$

(d)  $10 \frac{2}{3}$

2 If the mode of the values 7 , 5 ,  $x + 4$  , 5 , 7 is 5 , then  $x = \dots$ 

(a) 1

(b) 4

(c) 5

(d) 7

3 If  $\Delta + \square = 20$  ,  $\Delta + \Delta + \square = 35$  , then  $\Delta = \dots$ 

(a) 15

(b) 20

(c) 5

(d) 10

4 The arithmetic mean of the values 1 , 6 , 4 , 8 , 6 is .....

(a) 25

(b) 5

(c) 6

(d) 8

5 If  $\frac{2}{5}x = 10$  , then  $\frac{3}{5}x = \dots$ 

(a) 25

(b) 15

(c) 20

(d) 5

6  $0.7 + 0.\dot{3} = \dots$

(a) 1

(b) 3.7

(c)  $0.\dot{3}7$

(d)  $1 \frac{1}{30}$

3 [a] Subtract :  $5x^2 + y^2 - 3xy + 1$  from  $6x^2 - 2xy + 3y^2$ 

[b] Use the distribution property to find the value of :

$$\frac{27}{16} \times \frac{11}{7} + \frac{27}{16} \times \frac{11}{7} - \frac{27}{16} \times \frac{6}{7}$$

4 [a] Simplify to the simplest form :  $(2x - 3)(2x + 3) + 7$  , then calculate the numerical value of the result when  $x = -1$ [b] Find three rational numbers that lie between :  $\frac{1}{2}$  and  $\frac{1}{3}$



5 [a] Divide :  $2x^3 + 3x^2 - 4x - 6$  by  $2x + 3$  (where  $x \neq -\frac{3}{2}$ )

[b] The following table shows Gehad's marks in mathematics exam in 6 months :

Month	October	November	December	February	March	April
Mark	30	35	42	37	44	50

Find the arithmetic mean of the marks.

## Model 2

Answer the following questions :

1 Complete each of the following :

- 1  $24x^4y^6 = 6x^2y^3 \times \dots\dots\dots$
- 2 The remainder of subtracting  $-3x$  from  $2x$  is  $\dots\dots\dots$
- 3  $1, 1, 2, 3, 5, 8, \dots\dots\dots$  (in the same pattern)
- 4 If the mode of the values  $7, 5, a+3, 5, 7$  is  $7$ , then  $a = \dots\dots\dots$
- 5  $5x^2 + 15xy = 5x(\dots\dots\dots + \dots\dots\dots)$

2 Choose the correct answer from those given :

- 1 The algebraic term  $6x^3y^2$  is of the  $\dots\dots\dots$  degree.  
(a) third (b) fourth (c) fifth (d) sixth
- 2 The rational number that lies in half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is  $\dots\dots\dots$   
(a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$
- 3 The multiplicative inverse of the number  $(\frac{1}{2})^0$  is  $\dots\dots\dots$   
(a) 2 (b) -2 (c) 1 (d) -1
- 4 If  $\frac{5}{x+2}$  is a rational number, then  $x \neq \dots\dots\dots$   
(a) -2 (b) 0 (c) 2 (d) 5
- 5 The median of the values  $5, 4, 7$  is  $\dots\dots\dots$   
(a) 4 (b) 5 (c) 7 (d) 16
- 6 If the arithmetic mean of the values  $3, 5$  and  $x+2$  is  $4$ , then the arithmetic mean of the two values  $5-x, 5+2x$  is  $\dots\dots\dots$   
(a) 6 (b) 4 (c) 3 (d) 2



## Algebra and Statistics

3 [a] Using the distribution property , find the value of :  $\frac{3}{7} \times 2 + \frac{3}{7} \times 6 - \frac{3}{7}$

[b] Find three rational numbers that lie between :  $\frac{1}{2}$  and  $\frac{1}{3}$

4 [a] What is the increase of :  $7x + 5y + z$  than  $2x + 6y + z$  ?

[b] Divide :  $14x^2y - 35xy^2 + 7xy$  by  $7xy$  where  $x \neq 0$  and  $y \neq 0$

5 [a] Simplify to the simplest form :  $(x - 3)(x + 3) + 9$  , then

calculate the numerical value of the result when  $x = 5$

[b] If the arithmetic mean of the numbers : 8 , 7 , 5 , 9 , 4 , 3 ,  $k + 4$  is 6 , then find the value of :  $k$



## Model examination for the merge students

Answer the following questions :

## 1 Complete each of the following :

- 1 The algebraic term  $5x^2y$  is of the ..... degree.
- 2  $(x-3)(\dots\dots\dots + \dots\dots\dots) = x^2 - 9$
- 3 The rational number which hasn't a multiplicative inverse is .....
- 4 The median of the values 3, 4, 5 is .....
- 5 The number  $\frac{4}{x}$  is a rational number if  $x \neq \dots\dots\dots$

## 2 Choose the correct answer from those given :

- 1 If  $\frac{4}{7}x = \frac{4}{7}$ , then  $x = \dots\dots\dots$   
 (a) 1 (b) 0 (c) 4 (d) 7
- 2 The arithmetic mean of the values 2, 3, 8, 2, 5 equals .....  
 (a) 3 (b) 2 (c) 4 (d) 8
- 3 The additive inverse of the number -3 is .....  
 (a) -3 (b) 3 (c)  $\frac{1}{3}$  (d)  $-\frac{1}{3}$
- 4 The remainder of subtracting  $7x$  from  $9x$  equals .....  
 (a)  $2x$  (b)  $16x$  (c)  $-2x$  (d) 0
- 5 The mode of the values 3, 3, 4, 4, 5, 3 is .....  
 (a) 4 (b) 22 (c) 5 (d) 3

## 3 [a] Using the distribution property, complete to find :

$$\frac{5}{7} \times 8 + \frac{5}{7} \times 5 + \frac{5}{7} = \frac{5}{7} (\dots\dots\dots + \dots\dots\dots + \dots\dots\dots) = \frac{5}{7} (\dots\dots\dots) = \dots\dots\dots$$

[b] If  $a = \frac{1}{2}$ ,  $b = -2$ , complete the following :

$$b \div a = (\dots\dots\dots) \div (\dots\dots\dots) = (\dots\dots\dots) \times (\dots\dots\dots) = \dots\dots\dots$$

## 4 Put true (✓) or false (✗) :

- 1 The quotient of  $12x^4 + 6x$  by  $6x$  is  $2x^3 + 1$  ( )
- 2 The H.C.F. of  $15x^5 + 5x$  is  $5x^5$  ( )



## Algebra and Statistics

3 The rational number that lies between  $\frac{1}{4}$  and  $\frac{3}{4}$  is  $\frac{1}{2}$  ( )

4  $5x + 3x = 8x$  ( )

5 If  $(x + 4)^2 = x^2 + k + 16$ , then  $k = 4x$  ( )

5 Match from column (A) to column (B) :

Column (A)	Column (B)
1 If $\frac{x-7}{5} = 0$ , then $x = \dots\dots\dots$	3
2 $3x^2 + 15y = \dots\dots\dots (x^2 + 5y)$	7
3 $(3x + 5) + (4x - 5) = \dots\dots\dots$	50
4 $\frac{1}{2} = \dots\dots\dots \%$	1
5 If $\frac{a}{b} = \frac{1}{2}$ , then $\frac{2a}{b} = \dots\dots\dots$	$7x$



## Some Schools Examinations

on Algebra and Statistics

1

Cairo Governorate

El-Maadi Educational Zone



Answer the following questions :

1 Complete each of the following :

- 1 The median of the values : 5 , 9 , 7 , 4 , 3 , 8 is .....
- 2 The remainder of subtracting  $-3x$  from  $2x$  is .....
- 3  $5x^2 + 15xy = 5x(\dots + \dots)$
- 4 If the mode of the values : 8 , 5 ,  $y + 3$  , 5 , 8 is 8 , then  $y = \dots$
- 5 The rational number that hasn't a multiplicative inverse is .....

2 Choose the correct answer :

- 1 The mean of the values : 4 , 7 , 3 , 9 , 2 is .....  
(a) 2 (b) 3 (c) 5 (d) 7
- 2 The additive inverse of the number  $(\frac{1}{2})^{\text{zero}}$  is .....  
(a) 2 (b) -2 (c) 1 (d) -1
- 3 If  $\frac{5}{x+2}$  is a rational number , then  $x \neq \dots$   
(a) -2 (b) 0 (c) 2 (d) 5
- 4 The number that lies at half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is .....  
(a)  $\frac{2}{3}$  (b)  $\frac{5}{9}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$
- 5 The algebraic term :  $6x^3y$  is of the ..... degree.  
(a) first (b) fourth (c) sixth (d) fifth
- 6 If  $\frac{a}{b} = 1$  , then  $5a - 5b = \dots$   
(a) zero (b) 1 (c) 3 (d) 5

3 [a] Use the distribution property to find the value of :  $\frac{3}{7} \times \frac{5}{6} + \frac{3}{7} \times \frac{7}{6} - \frac{3}{7}$ [b] Simplify :  $(x-3)(x+3) + 7$ 4 [a] Write three rational numbers between :  $\frac{1}{3}$  and  $\frac{5}{6}$ [b] Factorize by identifying the H.C.F. :  $3a(4a+5b) - 2b(4a+5b)$ 5 [a] Add :  $3a^2 + 2a + 5$  and  $2a^2 - 5a + 3$ [b] Divide :  $x^2 + 6x + 5$  by  $x + 5$  (where  $x \neq -5$ )



Algebra and Statistics

2

Cairo Governorate

El-Waily Educational Zone  
Modern Future Language School

Answer the following questions :

1 Choose the correct answer :

1 The algebraic term :  $6x^3y$  is of the ..... degree.

- (a) first (b) fourth (c) sixth (d) fifth

2 If the mode of the values : 7, 5,  $x+4$ , 5, 7 is 5, then  $x =$  .....

- (a) 1 (b) 4 (c) 5 (d) 7

3 If the rational number :  $\frac{x-2}{x+3} = 0$ , then the value of  $x =$  .....

- (a) 1 (b) 2 (c) -2 (d) -3

4 The multiplicative inverse of the number  $\left(\frac{1}{2}\right)^{\text{zero}}$  is .....

- (a) -2 (b) 2 (c) 1 (d) -1

5 Subtracting  $-2x$  from  $3x$  equals .....

- (a)  $x$  (b)  $-5x$  (c)  $5x$  (d)  $-6x^2$

6 If the arithmetic mean for the numbers : 3, 5,  $x$  is 4, then  $x =$  .....

- (a) 3 (b) 4 (c) 5 (d) 6

2 Complete the following :

1 The median for the values : 4, 8, 3, 5, 7 is .....

2 If  $\frac{x}{y} = 1$ , then  $x - y =$  .....3  $(x-5)(x+5) =$  .....4  $6x^3 = 2x \times$  .....5 The number that lies at half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is .....3 [a] Add :  $3x - 2y + 5$  and  $x + 2y - 2$ [b] Find three rational numbers that lie between :  $\frac{1}{3}$  and  $\frac{1}{2}$ 4 [a] Use the distribution property to find the value of :  $\frac{3}{7} \times 2 + \frac{3}{7} \times 6 - \frac{3}{7}$ [b] Divide :  $21x^2y - 7xy + 35xy^3$  by  $7xy$  (where  $xy \neq 0$ )



5 [a] Simplify to the simplest form :  $(x-3)(x+3)+9$

[b] Subtract :  $4x^2 - 5x + 3$  from  $5x^2 + 4x - 3$

[c] This table shows a pupil's marks of mathematics in five months :

Month	Oct.	Nov.	Dec.	Feb.	March
Marks	40	30	55	45	35

Find the arithmetic mean of the marks.

3

Cairo Governorate

Western Cairo Educational Zone  
Mathematics Inspection



Answer the following questions :

1 Choose the correct answer from the given ones :

1 The number  $\frac{x-3}{x-5} \in \mathbb{Q}$ , if  $x \neq \dots\dots\dots$

- (a) 3 (b) -3 (c) 5 (d) -5

2 The multiplicative inverse of the rational number  $\frac{3}{2}$  is  $\dots\dots\dots$

- (a)  $\frac{2}{3}$  (b)  $-\frac{3}{2}$  (c) -0.6 (d) 0.6

3  $9a^7b^4 = \dots\dots\dots \times a^7b$

- (a)  $3b^3$  (b)  $9b^3$  (c)  $-3ab$  (d)  $9ab$

4 If the degree of the algebraic term :  $2a^3b^n$  is ninth, then  $n = \dots\dots\dots$

- (a) 8 (b) 6 (c) 2 (d) 9

5 The median of the values : 4, 5, 7 is  $\dots\dots\dots$

- (a) 4 (b) 7 (c) 16 (d) 5

6 The mode of the values : 5, 6, 5, 4, 3 is  $\dots\dots\dots$

- (a) 3 (b) 4 (c) 5 (d) 6

2 Complete each of the following :

1  $5x^2 + 15xy = 5x(\dots\dots\dots + \dots\dots\dots)$

2 If  $x - y = 3$ ,  $x + y = 5$ , then  $x^2 - y^2 = \dots\dots\dots$

3 The arithmetic mean of the values : 5, 4, 8, 3, 10 is  $\dots\dots\dots$

4 The rational number in half way between  $\frac{1}{7}$  and  $\frac{5}{7}$  is  $\dots\dots\dots$

5  $|-5| - |2| = \dots\dots\dots$



## Algebra and Statistics

- 3 [a] Use the property of distribution to find the value of :  $\frac{6}{14} \times 10 + \frac{6}{14} \times 5 - \frac{6}{14}$   
 [b] Find three rational numbers that lie between :  $\frac{1}{7}$  and  $\frac{1}{3}$   
 [c] Find the result of :  $-\frac{3}{5} + \frac{2}{3}$

- 4 [a] Divide :  $12x^3 + 8x^2 - 4x$  by  $4x$  ( $x \neq 0$ )  
 [b] Add :  $4x^2 - 5x - 1$  and  $5x + 3x^2 - 7$

- 5 [a] Simplify to the simplest form :  $(2x - 3)(2x + 3) + 9$ , then find the value of the result if  $x = -2$

- [b] The following table shows the distribution of marks of 20 students in an exam :

Marks	7	8	9	10	Total
No. of students	5	9	4	2	20

Find the mode of these marks.

4

Giza Governorate

Al-Agoza Directorate  
Supervision of Math

Answer the following questions :

- 1 Choose the correct answer :

1 If  $\square + \square + \square + \triangle + \triangle + \triangle = 60$ , then  $\square + \triangle = \dots\dots\dots$

- (a) 30 (b) 40 (c) 20 (d) 50

2 If the mode of the set of values : 5,  $x + 2$ , 4, 6, 9 is 6, then  $x = \dots\dots\dots$

- (a) 2 (b) 4 (c) 6 (d) 5

3 The algebraic term :  $3x^2y^3$  is of the ..... degree.

- (a) fifth (b) third (c) sixth (d) fourth

4 The rational number  $\frac{3-x}{7+x} = \text{zero}$ , when  $x = \dots\dots\dots$

- (a) 7 (b) -7 (c) 3 (d) -3

5 If half of a number is 30, then  $\frac{3}{4}$  of this number is .....

- (a) 48 (b) 42 (c) 40 (d) 45

6 The remainder of subtracting  $-3a$  from  $2a$  is .....

- (a)  $5a$  (b)  $-5a$  (c)  $a$  (d)  $-a$



## 2 Complete :

- 1 If the ratio  $X : 25$  equals  $2 : 5$ , then  $X = \dots\dots\dots$
- 2 The number  $\frac{-4}{7}$  has an additive inverse =  $\dots\dots\dots$
- 3 The arithmetic mean of the values : 2 , 3 , 2 , 6 , 7 equals  $\dots\dots\dots$
- 4  $(3X + 2)(X - 4) = 3X^2 \dots\dots\dots - 8$
- 5 The median of the values : 2 , 5 , 4 , 6 , 3 is  $\dots\dots\dots$

3 [a] Use the distribution property to get the result of :  $\frac{5}{19} \times 11 + \frac{5}{19} \times 9 - \frac{5}{19}$ [b] Add :  $3X - 5y + 2$  ,  $2X + 5y - 2$ 4 [a] Find the quotient of dividing :  $X^2 + 7X + 12$  by  $X + 4$  (where  $X \neq -4$ )[b] Simplify to its simplest form :  $(2a - 3)(2a + 3) + 7$   
 , then find the numerical value of the result at  $a = -1$ 5 [a] Find two numbers lying between :  $\frac{1}{2}$  ,  $\frac{4}{3}$  one of them is rational , the other is an integer.[b] If the median of the values :  $X + 5$  ,  $X + 3$  ,  $X + 8$  is 9 , then find the value of  $X$ 

5

Giza Governorate

Omrania Directorate  
Math Inspection

Answer the following questions :

## 1 Choose the correct answer :

- 1 The mode of the values : 6 , 8 , 6 , 1 , 1 , 9 , 8 , 2 , 8 is  $\dots\dots\dots$   
(a) 1 (b) 6 (c) 8 (d) 9
- 2  $X^3 y \times X y^2 = \dots\dots\dots$   
(a)  $X^3 y^2$  (b)  $3 X^3 y^4$  (c)  $X^4 y^3$  (d)  $X^3 y^3$
- 3 The multiplicative inverse of  $|\frac{-7}{8}|$  is  $\dots\dots\dots$   
(a)  $\frac{-7}{8}$  (b)  $\frac{8}{7}$  (c)  $\frac{7}{8}$  (d)  $\frac{-8}{7}$
- 4 The degree of the expression :  $X^3 + 2Xy + 3y^2 X^2$  is the  $\dots\dots\dots$  degree.  
(a) 1<sup>st</sup> (b) 2<sup>nd</sup> (c) 3<sup>rd</sup> (d) 4<sup>th</sup>
- 5  $(-5X) + (-3X) - X = \dots\dots\dots$   
(a)  $-9X$  (b)  $9X$  (c)  $8X$  (d)  $-8X$
- 6  $(3a + 2b)^2 = 9a^2 + \dots\dots\dots + 4b^2$   
(a)  $6ab$  (b)  $12ab$  (c)  $24ab$  (d)  $36ab$



## Algebra and Statistics

## 2 Complete the following :

1 The arithmetic mean of the values : 22 , 18 , 15 , 25 and 30 is .....

2  $-\frac{1}{4} + \dots = 0$ 3  $(x+4)(x-4) = x^2 \dots$ 

4 The median of the values : 23 , 16 , 12 , 28 , 21 , 32 , 9 is .....

5  $7x(x+5y) = 7x^2 + \dots$ 3 [a] By using the distribution property find :  $\frac{5}{9} \times \frac{2}{7} + \frac{5}{9} \times \frac{1}{7} + \frac{5}{9} \times \frac{4}{7}$ [b] Subtract :  $5x^2 + 2x - 1$  from  $8x^2 - 3x + 7$ 4 [a] If  $a = \frac{1}{2}$  ,  $b = -\frac{2}{3}$  ,  $c = 3$  , find the value of :  $c^2 - 6ab$ [b] Simplify to the simplest form :  $(5x-6)^2 + 60x - 36$ 5 [a] Divide :  $x^2 + 12x + 35$  by  $x+5$  (where  $x \neq -5$ )

[b] The following table shows the marks of 50 students :

Marks	4	6	9	12	15	18
Frequency	6	13	16	7	5	3

Find the mode of these marks.

## 6 Alexandria Governorate

Middle Educational Zone  
Mathe Supervision

Answer the following questions :

## 1 Choose the correct answer :

1  $8.46 \approx \dots$  to the nearest tenth.

(a) 8.4

(b) 9

(c) 8

(d) 8.5

2 If  $\frac{x}{8} = \frac{3}{6}$  , then  $x = \dots$ 

(a) 16

(b) 48

(c) 4

(d) 12

3 ..... is a terminating decimal.

(a)  $\frac{7}{20}$ (b)  $\frac{2}{11}$ (c)  $\frac{7}{11}$ (d)  $\frac{1}{3}$ 

4 The median for the values : 4 , 8 , 3 , 5 , 7 is .....

(a) 3

(b) 4

(c) 5

(d) 7



5  $\frac{4}{7} \dots\dots\dots \frac{3}{5}$

(a) =

(b) &lt;

(c) &gt;

(d)  $\geq$ 

6 If the mode of the values : 7 , 5 , a + 3 , 5 , 7 is 7 , then a = .....

(a) 2

(b) 4

(c) 7

(d) 5

2 Complete each of the following :

1 The multiplicative inverse of  $\left(\frac{1}{2}\right)^{\text{zero}}$  is .....

2  $100\% - \frac{1}{4} = \dots\dots\dots$

3  $(x + 5)(x + \dots\dots\dots) = x^2 + \dots\dots\dots + 15$

4  $5x^2 + 3$  is an algebraic expression of the ..... degree.

5 The arithmetic mean of the set of values : 1 , 6 , 4 , 8 , 6 is .....

3 [a] Factorize by identifying the H.C.F. :  $9m^4n^2 - 6m^3n^3 + 12m^2n^4$

[b] Use the distribution property to find :  $\left(-\frac{3}{7}\right) \times 8 + 5 \times \left(-\frac{3}{7}\right) + \left(-\frac{3}{7}\right)$

4 [a] Multiply :  $(6x - 2y)(6x + 2y)$

[b] If  $x = \frac{-1}{3}$  ,  $y = \frac{3}{4}$  ,  $z = -3$  , find in the simplest form the numerical value of  $xyz$

5 [a] What is the increase of :  $7x + 5y + z$  than  $2x + 6y + z$  ?

[b] The following table shows the number of hours at studying of Mona during 5 days :

Day	Saturday	Sunday	Monday	Tuesday	Wednesday
Hour	$3\frac{1}{2}$	3	$2\frac{1}{2}$	3	4

Find : 1 The mean of the studying hours.

2 The mode of the studying hours.

7

Alexandria Governorate

El-Gomrok Educational Zone  
Mathe Supervision

Answer the following questions :

1 Choose the correct answer :

1 If the degree of the algebraic term :  $x^3y^m$  is 5 , then m = .....

(a) 1

(b) 2

(c) 3

(d) 5

2  $\mathbb{Z}_+ \cap \mathbb{Z}_- = \dots\dots\dots$

(a)  $\mathbb{Z}$ (b)  $\mathbb{Z}_+$ (c)  $\mathbb{Z}_-$ (d)  $\emptyset$



## Algebra and Statistics

3 If the rational number  $\frac{x+4}{x-7} = 0$ , then  $x = \dots\dots\dots$

- (a) 4 (b) 7 (c) -4 (d) -7

4 The mean of the values : 2 , 3 , 7 and 8 is  $\dots\dots\dots$

- (a) 2 (b) 3 (c) 5 (d) 7

5  $\frac{1}{8} - \frac{3}{8} = \dots\dots\dots$

- (a)  $\frac{1}{8}$  (b)  $\frac{3}{8}$  (c)  $-\frac{1}{4}$  (d)  $\frac{1}{4}$

6 If the order of the median for a set of ordered values is the fifth, then the number of these values is  $\dots\dots\dots$

- (a) 3 (b) 5 (c) 7 (d) 9

2 Complete each of the following :

1 The additive inverse of the number  $\left(\frac{2}{5}\right)^{\text{zero}}$  is  $\dots\dots\dots$

2 The greatest negative integer is  $\dots\dots\dots$

3  $(3x - y)(2x + 5y) = 6x^2 + 13xy - \dots\dots\dots$

4 The mode for the values : 3 , 9 , 12 , 3 , 7 , 8 and 3 is  $\dots\dots\dots$

5 If  $\{1, 2, x\} = \{2, 5, 1\}$ , then  $x = \dots\dots\dots$

3 [a] Use the distribution property to find the following in the simplest form :

$$\frac{7}{16} \times \frac{6}{7} - \frac{7}{16} \times \frac{4}{7}$$

[b] Factorize by identifying the H.C.F. :  $4x^3 - 6x^2 - 8x$

4 [a] Find three rational numbers lying between :  $\frac{1}{5}$  and  $\frac{1}{2}$

[b] Add :  $2a^2 + 4b^2 + 5c$  and  $3a^2 - 2b^2 + c$

5 [a] Find the quotient of :  $16x^4y^2 - 32x^3y^3 + 24x^2y^4$  by  $8x^2y$  where  $x \neq 0$ ,  $y \neq 0$

[b] Find the mean and the median for the following values : 7 , 8 , 2 , 4 and 9

8

El-Kalyoubia Governorate

Directorate of Education  
Math Supervision



Answer the following questions :

1 Choose the correct answer from those given :

1  $ab \times 2a^2b = \dots\dots\dots$

- (a)  $2a^3b^2$  (b)  $-2a^2b$  (c)  $ab^4$  (d)  $-3ab$



- 2 If the mode for the set of values : 7 , 5 ,  $y + 3$  , 5 and 7 is 7 , then  $y = \dots\dots\dots$   
 (a) 3 (b) 4 (c) 5 (d) 7
- 3 The rational number that lies in half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is  $\dots\dots\dots$   
 (a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$
- 4 If the order of the median of a set of values is the fourth , then the number of these values equals  $\dots\dots\dots$   
 (a) 3 (b) 5 (c) 7 (d) 9
- 5 If  $2x = 10$  , then  $\frac{3}{5}x = \dots\dots\dots$   
 (a) 25 (b) 15 (c) 5 (d) 3
- 6 The algebraic term :  $7xy$  is of the  $\dots\dots\dots$  degree.  
 (a) first (b) second (c) third (d) fourth

2 Complete each of the following :

- 1  $3x + 6x = \dots\dots\dots (y + 2)$       2  $25\% - \left| \frac{-1}{5} \right| = \dots\dots\dots$
- 3  $\frac{-4}{11} \times \dots\dots\dots = 1$
- 4 If the sum of 5 numbers is 30 , then the arithmetic mean for these numbers is  $\dots\dots\dots$
- 5 The number  $\frac{4}{x}$  is a rational number if  $x \neq \dots\dots\dots$

3 [a] Subtract :  $2x + 6y - 7$  from  $2x - 5y + 2$

[b] Divide :  $14x^3 - 28x^2 + 7x$  by  $7x$  where  $x \neq \text{zero}$

4 [a] Use the distribution property to find the value of :  $\frac{2}{7} \times 9 + \frac{2}{7} \times 6 - \frac{2}{7}$

[b] The length of a rectangle is  $(2x + 5)$  cm. and its width is  $(3x + 2)$  cm. Calculate its area.

5 [a] Find the median for the values : 3 , 5 , 12 , 11 , 8 , 10

[b] If  $x = \frac{-1}{3}$  ,  $y = \frac{3}{4}$  ,  $z = -3$  , find in the simplest form the numerical value of each of the following :

1  $yz + \frac{1}{4}$

2  $xy + yz$

9

El-Sharkia Governorate

 Bolbois Education Directorate  
 El-Fath G.L.S


Answer the following questions :

1 Choose the correct answer :

1 The median of the values : 9 , 18 , 5 , 7 , 11 is  $\dots\dots\dots$

- (a) 5 (b) 7 (c) 9 (d) 11



## Algebra and Statistics

- 2 If  $(x + y)^2 = 15$  ,  $x^2 + y^2 = 7$  , then  $xy = \dots\dots\dots$   
 (a) 8 (b) 22 (c) 6 (d) 4
- 3 The mean of : 3 , 0 , 4 , 6 , 7 is  $\dots\dots\dots$   
 (a) 4 (b) 5 (c) 6 (d) 7
- 4 The rational number in half way between  $\frac{2}{7}$  and  $\frac{4}{7}$  is  $\dots\dots\dots$   
 (a)  $\frac{5}{14}$  (b)  $\frac{3}{7}$  (c)  $\frac{5}{7}$  (d)  $\frac{4}{14}$
- 5 The additive identity element in  $\mathbb{Q}$  is  $\dots\dots\dots$   
 (a) zero (b) -1 (c) 1 (d)  $\frac{1}{2}$
- 6 The multiplicative inverse of  $\frac{5}{8}$  is  $\dots\dots\dots$   
 (a)  $-\frac{5}{8}$  (b)  $\frac{3}{8}$  (c)  $\frac{8}{3}$  (d)  $\frac{8}{5}$

## 2 Complete each of the following :

- 1  $3x^2y \times \dots\dots\dots = 15x^2y^3$
- 2 The algebraic term :  $-5x^2y^2$  is of the  $\dots\dots\dots$  degree.
- 3 The mode of the values : 7 , 5 , 4 , 5 is  $\dots\dots\dots$
- 4 The number  $\frac{x+3}{x-7} \in \mathbb{Q}$  if  $x \neq \dots\dots\dots$
- 5  $(x+3)(3x-2) = 3x^2 + \dots\dots\dots - 6$

## 3 [a] Use the distribution property to find the value of :

$$\frac{8}{13} \times 11 + \frac{8}{13} \times 9 - \frac{8}{13} \times 7$$

[b] Add :  $2a + 3b - c$  and  $3a - 2b - 2c$

4 [a] Find the quotient of :  $x^2 - 9x + 20$  by  $x - 4$  (where  $x \neq 4$ )

[b] Factorize by identifying the H.C.F. :  $12xy^2 + 18x^2y - 6x^2y^2$

5 [a] Simplify :  $(2x + 5)(2x - 5) + 25$  , then find the numerical value of the result when  $x = -1$ 

[b] The following table shows the scores of a class in maths exam :

Marks	5	6	7	8	9	10
Frequency	6	5	13	7	4	2

Find the mode mark.



10

El-Monofia Governorate

Shibon Elkom Directorate  
Supervisor of Math

Answer the following questions :

1 Choose the correct answer :

- 1 The additive identity in the set of integers is .....  
 (a) zero (b) 1 (c) -1 (d) 2
- 2 If the mean of : 4 , 5 ,  $x$  is 6 , then  $x =$  .....  
 (a) 4 (b) 5 (c) 6 (d) 9
- 3 The number  $\frac{\text{zero}}{-2}$  .....  $\mathbb{N}$   
 (a)  $\in$  (b)  $\notin$  (c)  $\subset$  (d)  $\not\subset$
- 4 The additive inverse for the expression :  $2x - 3y$  is .....  
 (a)  $-2x - 3y$  (b)  $2x + 3y$  (c)  $3y - 2x$  (d)  $-3y + 2x$
- 5 The smallest prime number is .....  
 (a) zero (b) 1 (c) 2 (d) 3
- 6 If  $\frac{x+4}{x-3}$  is a rational number , then  $x \neq$  .....  
 (a) 3 (b) -3 (c) 4 (d) -4

2 Complete each of the following :

- 1 The number that lies at half the distance between  $\frac{1}{2}$  ,  $\frac{3}{4}$  is .....
- 2 The order of the median for the values : 4 , 12 , 9 , 8 , 2 is .....
- 3 If the number  $y + 5$  hasn't a multiplicative inverse , then  $y =$  .....
- 4 The remainder of subtraction  $2x - 1$  from ..... equals  $2x$
- 5 If the mode for the values : 2 , 4 ,  $k - 3$  , is 4 , then  $k =$  .....

3 [a] Factorize by identifying the H.C.F. :  $10x^3 - 5x^2$ [b] Simplify :  $(a - 4)^2 + 8(a - 2)$ [c] Add :  $2x^2 - 5x + 3$  ,  $4x - x^2 - 2$ 4 [a] Find three rational numbers between :  $\frac{3}{5}$  ,  $\frac{1}{4}$ [b] Use the distribution property to find :  $\frac{-5}{2} \times 4 + \frac{-5}{2} \times 3 + \frac{-5}{2}$ [c] If  $x = \frac{3}{2}$  ,  $y = \frac{-5}{4}$  , find in the simplest form the value of :  $x^2 - 2xy$  (Show steps)



## Algebra and Statistics

5 [a] Divide :  $x^2 - 5x + 6$  by  $x - 2$  where  $x \neq 2$

[b] Find the mean and the median of : 4 , 6 , 12 , 3 , 9 , 8 (Show steps)

## 11 El-Dakahlia Governorate

Mathe Supervision



Answer the following questions :

1 Choose the correct answer from those given :

- 1 If  $\frac{5}{x+2}$  is a rational number , then  $x \neq$  .....  
 (a) - 2 (b) zero (c) 2 (d) 5
- 2  $(-3x) \times (-5y) =$  .....  
 (a) - 15xy (b) - 8xy (c) 8xy (d) 15xy
- 3 The mode of the values : 4 , 5 , 4 , 3 , 7 , 5 , 4 is .....  
 (a) 3 (b) 4 (c) 5 (d) 7
- 4 The algebraic term :  $6x^3y^2$  is of the ..... degree.  
 (a) third (b) fourth (c) fifth (d) sixth
- 5 The arithmetic mean for the values : 3 ,  $5 - x$  ,  $7 + x$  is .....  
 (a) 2 (b) 3 (c) 4 (d) 5
- 6 If  $\frac{2}{5}x = 10$  , then  $\frac{3}{5}x =$  .....  
 (a) 25 (b) 20 (c) 15 (d) 5

2 Complete each of the following :

- 1 The multiplicative inverse of the number  $(\frac{-9}{8})^{\text{zero}}$  is .....
- 2 The number that lies at half way between  $\frac{1}{2}$  and  $\frac{5}{8}$  is .....
- 3 If  $\triangle + \square = 20$  ,  $\triangle + \triangle + \square = 35$  , then  $\square =$  .....
- 4 If the order of the median of a set of values is the fifth , then the number of these values is .....
- 5 1 , 1 , 2 , 3 , 5 , 8 , ..... (in the same pattern)

3 [a] Simplify :  $(x - 3)(x + 3) + 9$

, then calculate its numerical value when  $x = 5$

[b] If  $x = \frac{1}{2}$  ,  $y = \frac{-2}{3}$  ,  $z = 2$  , find the value of :  $\frac{y-z}{x}$



4 [a] Use the distribution property to find the value of :  $\frac{7}{12} \times \frac{23}{45} + \frac{17}{12} \times \frac{23}{45} - 2 \times \frac{23}{45}$

[b] 1 Add :  $5x + 2y - 1$  and  $2x - 5y + 3$

2 Factorize by identifying the H.C.F :  $3a(a - 2b) - 6b(a - 2b)$   
 , then find the value of the result when  $(a - 2b) = -\frac{1}{3}$

5 [a] Divide :  $2x^2 + 5xy + 2y^2$  by  $2x + y$  where  $2x + y \neq 0$

[b] The following table shows Omar's marks in 6 mathematics examinations :

Month	Oct.	Nov.	Dec.	Feb.	Mar.	Apr.
Mark	41	35	47	37	44	48

Find each of the median mark and the mean mark.

## 12 Port Said Governorate

Educational Directorate  
Math Department



Answer the following questions :

1 Choose the correct answer :

- The additive inverse of the number  $(-\frac{1}{5})^0$  is .....  
 (a) 1 (b) -1 (c) 5 (d)  $\frac{1}{5}$
- The degree of the algebraic expression :  $3x^2 + 5xy^2 + 6y^2$  is .....  
 (a) zero. (b) second. (c) third. (d) fourth.
- If  $\frac{x}{y} = 1$  , then  $3x - 3y =$  .....  
 (a) zero (b) 1 (c) 3 (d) 6
- If the arithmetic mean of six values is 12 , then the sum of these values equals .....  
 (a) 2 (b) 6 (c) 18 (d) 72
- The rational number that lies at the midpoint of the distance between  $\frac{1}{4}$  and  $\frac{1}{3}$  is .....  
 (a)  $\frac{1}{12}$  (b)  $\frac{7}{12}$  (c)  $\frac{3}{4}$  (d)  $\frac{7}{24}$
- The length of a rectangle is  $2x$  cm. , and its width is  $y$  cm. , then its perimeter is ..... cm.  
 (a)  $2xy$  (b)  $3xy$  (c)  $2x + y$  (d)  $4x + 2y$

2 Complete :

- The multiplicative inverse of the number  $\frac{3}{4}$  is .....
- The mode of the values : 3 , 3 , 5 , 4 , 4 , 3 is .....
- $(2x - 3)(4x + 5) = 8x^2 + \dots - 15$



Algebra and Statistics

4 1, 4, 9, 16, ..... (in the same pattern)

5 The number  $\frac{5}{x-4}$  is rational if  $x \neq \dots\dots\dots$ 3 [a] Use the distribution property to find the value of :  $\frac{5}{17} \times 10 + \frac{5}{17} \times 23 + \frac{5}{17}$ [b] Add :  $2a - 3b + 5c$  and  $3a + b - 5c$ 4 [a] Divide :  $6x^2y^2 + 9x^2y^3$  by  $6x^2y^2$  ( $x \neq 0, y \neq 0$ )[b] Simplify to the simplest form :  $(x+5)^2 + (x+2)(x-2)$ 5 [a] Factorize by identifying the H.C.F. :  $12a^2b + 18a^3b^2$ 

[b] If the set of ages of pupils in one school is : 7, 9, 13, 6, 8, 12, 10, 14, 11, find the median age of this set.

## 13 Kafr El-Sheikh Governorate

General Maths Supervision



Answer the following questions :

1 Complete :

1 The degree of the algebraic term :  $-4xy^2$  is .....2  $(2x-3)(3x+5) = 6x^2 + \dots\dots\dots$ 

3 The arithmetic mean of the values : 2, 3, 2, 6, 7 is .....

4 The number that lies at half way between  $\frac{1}{2}$  and  $\frac{5}{8}$  is .....5 If the mode of the values : 5, 7, 4,  $a+1$ , 6 and 10 is 4, then  $a = \dots\dots\dots$ 

2 Choose the correct answer :

1 If  $\frac{x}{y} = 1$ , then  $3x - 3y = \dots\dots\dots$ 

(a) 6

(b) 3

(c) 1

(d) 0

2 The order of the median of the values : 6, 2, 5, 4, 1 is .....

(a) first.

(b) second.

(c) third.

(d) fourth.

3 The number  $\frac{2}{9a}$  is a rational number if  $a \neq \dots\dots\dots$ 

(a) 2

(b) 0

(c) -9

(d) 9

4 The remainder of subtracting  $-2x$  from  $2x$  equals .....(a)  $-4x$ (b)  $4x$ 

(c) 0

(d) -4

5 If the rational number  $\frac{2-x}{x-3} = 0$ , then  $x = \dots\dots\dots$ 

(a) 2

(b) -2

(c) 3

(d) -3



6 If  $(x + 3)(x - 3) = x^2 + k$ , then  $k = \dots\dots\dots$

(a) 3

(b) -3

(c) 9

(d) -9

3 [a] Subtract :  $-a^2 - 5ab + 4b^2$  from  $3a^2 - 2ab + 5b^2$

[b] Use the distribution property to find :  $\frac{6}{37} \times 7 + \frac{6}{37} \times 5 + \frac{6}{37} \times (-11)$

[c] Add :  $5x + 4xy - 7y$  and  $3x - 2xy + 5y$

4 [a] Divide :  $6x^2 + 13x + 6$  by  $2x + 3$  (where  $x \neq -\frac{3}{2}$ ) (Show steps)

[b] Simplify :  $(x + 2)^2 - 4x$ , then find the numerical value of the result when  $x = 1$

5 [a] Factorize by taking out the H.C.F :  $3x^2y - 6xy^2 + 9xy$

[b] If  $x = \frac{5}{9}$ ,  $y = \frac{4}{3}$ ,  $z = \frac{1}{9}$ , find in the simplest form the value of  $(x + z) \div y$  (Show the steps)

[c] If the arithmetic mean of the values : 8, 7, 5, 6, 4,  $k + 5$  is 6, then find the value of  $k$

14

El-Menia Governorate

N.T.S.

Answer the following questions :

1 Choose the correct answer :

1 The multiplicative inverse of the number  $3\frac{2}{5}$  is  $\dots\dots\dots$

(a)  $-3\frac{2}{5}$ (b)  $3\frac{2}{5}$ (c)  $\frac{17}{5}$ (d)  $\frac{5}{17}$ 

2 The quotient of dividing :  $2.25 \div 1.5 = \dots\dots\dots$

(a) 1.5

(b) 15

(c) 0.15

(d) 500

3  $(3x + 5)(x + 2) = 3x^2 + \dots\dots\dots + 10$

(a) -7

(b)  $11x$ (c)  $5x$ (d)  $7x$ 

4 The number  $\frac{x-3}{x+5}$  is a rational number if  $x \neq \dots\dots\dots$

(a) 3

(b) -5

(c) 5

(d) -3

5 The mode of the values : 3, 3, 4, 4, 5, 3 is  $\dots\dots\dots$

(a) 4

(b) 22

(c) 5

(d) 3

6 If  $\frac{15}{x} = \frac{-3}{4}$ , then  $x = \dots\dots\dots$

(a) -20

(b) -5

(c) 5

(d) 20

2 Complete each of the following :

1  $\frac{3}{4} + 50\% = \dots\dots\dots$

2 The median of the values : 4, 8, 3, 5, 7 is  $\dots\dots\dots$



Algebra and Statistics

3  $6b^3 = 2b \times \dots\dots\dots$

4 The rational number that hasn't a multiplicative inverse is .....

5 The arithmetic mean of the numbers : 10 , 4 , 7 , 3 , 1 is .....

3 [a] Use the distribution property to find the value of :  $\frac{5}{17} \times 10 + \frac{5}{17} \times 23 + \frac{5}{17}$ [b] Divide :  $6x^2y^2 + 9x^2y^3$  by  $3x^2y^2$  ( $x \neq 0, y \neq 0$ )4 [a] Factorize by taking out the H.C.F. :  $12a^2b + 18a^3b^2$ [b] If  $a^2 = 25$  ,  $b^2 = 9$  and  $ab = 15$  , then find the value of :  $(a - b)^2$ 5 [a] Find three rational numbers between :  $\frac{4}{5}$  and  $\frac{2}{3}$ 

[b] Find the mean of the values : 2 , 5 , 3 , 6 , 9

15

Qena Governorate

Qena Directorate of Education  
Directing Mathematics

Answer the following questions :

1 Choose the correct answer :

1 The expression :  $3x^2y - 6x$  its degree is .....

(a) second.

(b) first.

(c) third.

(d) fourth.

2 The arithmetic mean of the numbers : 7 , 13 , 5 and 15 is .....

(a) 12

(b) 10

(c) 20

(d) 7

3 The median of : 4 , 7 , 8 , 6 , 5 is .....

(a) 3

(b) 4

(c) 5

(d) 6

4 The multiplicative inverse of the number  $2^0$  equals .....

(a) 2

(b) - 1

(c) - 2

(d) 1

5  $(x^2 + x) \div x = \dots\dots\dots$  (where  $x \neq 0$ )

(a) 0

(b)  $x$ (c)  $2x + 1$ (d)  $x + 1$ 

2 Complete :

1 The additive identity element in  $\mathbb{Q}$  is .....2 The sum of :  $-3x^2y + 4xy^2 - 5$  and  $-3xy^2 + x^2y + 5$  is .....



- 3 The coefficient of the algebraic term :  $4x^2y^2z$  is .....
- 4 The highest common factor of the expression :  $5y^2x + 25yx^2$  is .....
- 5 If  $\frac{x+1}{x-5} \in \mathbb{Q}$ , then  $x$  .....

- 3 [a] Find three rational numbers between :  $\frac{1}{2}$  and  $\frac{1}{3}$   
 [b] Divide :  $x^2 - 5x + 6$  by  $x - 3$  (where  $x - 3 \neq 0$ )  
 [c] Use the distribution property to find the value of :  $\frac{5}{17} \times 8 + \frac{5}{17} \times 10 - \frac{5}{17}$

- 4 [a] Find :  $(2x - y)(2x + y)$   
 [b] Complete : The mode of the values 5 , 7 , 4 , 5 , 3 , 5 is .....

- 5 [a] Subtract :  $-2x$  from  $4x$   
 [b] Factorize the following expression by identifying the H.C.F :  $3x^2 + 15xy$

ذاكر اولي  
Rania Sayed



# Final Examinations 2020

on Algebra and Statistics



هذا العمل خاص بموقع ذاكرولي التعليمي ولا يسمح بتداوله على مواقع أخرى



## Some Schools Examinations



on Algebra and Statistics

1

Cairo Governorate

Nozha Directorate of Education  
Nozha Language Schools

Answer the following questions :

تابع جديد زاكروولي على موقعنا  
<https://www.zakrooly.com>

1 Choose the correct answer :

- 1 The degree of the algebraic term  $5xy^2$  is .....  
 (a) zero (b) 2 (c) 3 (d) 5
- 2 The number  $\frac{x+3}{x-5}$  equals zero if  $x =$  .....  
 (a) -3 (b) 3 (c) 5 (d) -5
- 3 The multiplicative inverse of  $\left(\frac{2}{5}\right)^0$  is .....  
 (a) 1 (b) -1 (c)  $-\frac{2}{5}$  (d)  $-\frac{5}{2}$
- 4 The mode of the numbers : 5 , 8 , 4 , 9 and 8 is .....  
 (a) 9 (b) 4 (c) 8 (d) 5
- 5 The H.C.F. of  $12x^3 + 6x^2$  is .....  
 (a) 6 (b)  $6x^2$  (c)  $x^2$  (d)  $3x^2$

2 Complete :

- 1  $(x-y)(x+y) =$  .....
- 2  $(3x+5)^2 =$  ..... +  $30x$  + .....
- 3 The arithmetic mean of the values : 5 , 4 , 8 , 3 , 10 is .....
- 4  $(3x - \dots)^2 =$  ..... -  $12x$  + 4
- 5 The number that lies half way between  $\frac{2}{7}$  and  $\frac{6}{7}$  is .....

3 [a] 1 Add :  $5a - 2b + 4c$  and  $4b - 3a + c$ 2 Subtract :  $2x^2 + 5xy - y^2$  from  $(2x+y)^2$ [b] Factorize by using the H.C.F :  $4x^2y^3 - 2xy^2 + 6x^3y$ 4 [a] Divide :  $x^2 - 5x + 6$  by  $x - 2$  (where  $x \neq 2$ )[b] Use the distribution property to find :  $\frac{5}{9} \times 4 + \frac{5}{9} \times 6 - \frac{5}{9}$ 5 [a] Simplify :  $(x-y)(x+y) - (x-y)^2$  , then calculate the numerical value of the result when  $x = 2$  ,  $y = -1$ 

[b] Find the mean and the median of the values : 20 , 15 , 25 , 10 , 30 , 7

هذا العمل حصري على موقع زاكروولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



2

Cairo Governorate

Rod El-Farag Educational Zone  
St. Mary's School

Answer the following questions :

## 1 Choose the correct answer :

1 If the arithmetic mean of the numbers : 5 , 8 , 7 , k , 9 , 3 is 6 , then k = .....

- (a) 3 (b) 4 (c) 5 (d) 6

2 The multiplicative inverse of the number  $\frac{3}{4}$  is .....

- (a)  $\frac{4}{3}$  (b)  $-\frac{3}{4}$  (c)  $-\frac{4}{3}$  (d) 1

3 If  $(x - 6)(x + 6) = x^2 + k$  , then k = .....

- (a) - 10 (b) 36 (c) 10 (d) - 36

4 If the order of the median of a set of values is the fourth , then the number of these values equals .....

- (a) 3 (b) 5 (c) 7 (d) 9

5 The rational number that lies on third of the way between 8 and 12 from the smaller is .....

- (a)  $8\frac{1}{3}$  (b) 10 (c)  $9\frac{1}{3}$  (d)  $10\frac{2}{3}$

6  $|-3| + |-5| =$  .....

- (a) 2 (b) - 2 (c) 8 (d) - 8

## 2 Complete :

1 The algebraic term  $6xy^3$  whose degree is .....

2 The mode of the values : 3 , 3 , 5 , 4 , 4 , 3 is .....

3  $(2x - 3)(4x + 5) =$  ..... + ..... - .....

4 1 , 4 , 9 , 16 , ..... , ..... (in the same pattern)

5 The number  $\frac{5}{x-4}$  is rational if  $x \neq$  .....3 [a] Subtract :  $3x^2 - 5xy + 6y^2$  from  $2x^2 - 4xy - 2y^2$ [b] Find the quotient :  $2x^3 + 11x^2 + 12x - 9$  by  $x + 3$  where  $x \neq -3$ 4 [a] Find three rational numbers between :  $\frac{1}{2}$  and  $\frac{2}{3}$ [b] Simplify to the simplest form :  $(2x - 3)(2x + 3) + 7$ , and calculate the numerical value of the result when  $x = 1$ 

هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



5. [a] Use the distribution property to find the value of :  $\frac{7}{9} \times 14 + \frac{7}{9} \times 6 - \frac{7}{9} \times 2$

(without using the calculator)

[b] This table shows a pupil's marks of mathematics in five months :

Month	Oct.	Nov.	Dec.	Feb.	March
Marks	40	30	55	45	35

Find : 1 The arithmetic mean of the marks.

2 The median of the marks.

3

Cairo Governorate

Maadi Zone  
Degla Valley Language School



Answer the following questions :

1 Choose the correct answer :

1 The arithmetic mean of the numbers : 3 , 6 , 1 , 6 is .....

(a) 4 (b) 3 (c) 6 (d) 18

2 The mode of the values : 4 , 5 , 4 , 3 , 4 is .....

(a) 3 (b) 4 (c) 5 (d) 4.5

3 The degree of the algebraic expression :  $5x^3 + 2x^2 - 7$  is the .....

(a) fifth. (b) third. (c) first. (d) second.

4 If  $\frac{x}{y} = \frac{2}{3}$  , then  $\frac{3x}{2y} = \dots\dots\dots$

(a)  $\frac{1}{5}$  (b)  $\frac{3}{2}$  (c)  $\frac{9}{4}$  (d) 1

5 If  $\frac{x+3}{x-7} = 0$  , then the value of  $x$  is .....

(a) 3 (b) -7 (c) -3 (d) 7

6 The median of the values : 2 , 1 , 6 , 5 , 7 is .....

(a) 2 (b) 6 (c) 5 (d) 7

2 Complete :

1  $\frac{3}{4} = \dots\dots\dots \%$

2  $(x-5)(x+5) = \dots\dots\dots$

3  $12x^2y^3 \div 4xy = \dots\dots\dots$

4 The remainder of subtracting  $-7x^2$  from  $2x^2$  is .....

5 The rational number that lies at half the way between :  $\frac{1}{4}$  and  $\frac{1}{2}$  is .....



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



3 [a] If  $x = \frac{3}{4}$ ,  $y = \frac{-5}{2}$ , find in the simplest form the value of :  $(x - y) \div (x + y)$

[b] Add :  $3x^2 + 2x - 5$  and  $2x^2 - 5x + 3$

4 [a] Divide :  $\frac{10x^5 - 6x^3 + 4x^2}{2x^2}$

[b] Use the distribution property to find the value of :  $\frac{3}{7} \times \frac{5}{6} + \frac{3}{7} \times \frac{7}{6} - \frac{3}{7}$

[c] Complete :  $3x^2 - 6xy = 3x(\dots\dots\dots)$

5 [a] Simplify :  $(2a - 3)(2a + 3) + 7$

[b] Write three rational numbers between :  $\frac{1}{3}$  and  $\frac{5}{6}$

[c] Find the mean of the values : 2 , 5 , 3 , 6 , 9

4

Giza Governorate

Al-Agoza Directorate  
Supervision of Math

Answer the following questions :

1 Choose the correct answer :

1 If  $\frac{3}{x-5}$  is a rational number , then  $x \neq \dots\dots\dots$

(a) zero

(b) 3

(c) -5

(d) 5

2 The algebraic term  $2x^2y$  is of the  $\dots\dots\dots$  degree.

(a) first

(b) second

(c) third

(d) fourth

3 If  $5a = 45$ ,  $a \cdot b = 1$ , then  $b = \dots\dots\dots$

(a)  $\frac{1}{9}$ 

(b) 5

(c)  $\frac{1}{5}$ 

(d) 9

4 Fifth the number  $5^{10} = \dots\dots\dots$

(a)  $5^9$ (b)  $5^5$ (c)  $5^{11}$ (d)  $3^9$ 

5 The value of the digit 7 in the number 0.4753 is  $\dots\dots\dots$

(a)  $\frac{7}{10}$ (b)  $\frac{7}{100}$ (c)  $\frac{7}{1000}$ 

(d) 7

6 The mode of the values : 5 , 7 , 3 , 5 is  $\dots\dots\dots$

(a) 5

(b) 7

(c) 3

(d) 4

2 Complete :

1  $(2a - 3b)(a + 5b) = 2a^2 + \dots\dots\dots - \dots\dots\dots$

2 If three times a number is 15 , then fifth this number is  $\dots\dots\dots$



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



[3] The number which lies at half the distance between :  $\frac{1}{2}$  and  $\frac{3}{4}$  is .....

[4]  $5a^2$  increases  $-3a^2$  by .....

[5] The median of the values : 4 , 8 , 3 , 5 , 7 is .....

[3] [a] Use the distribution property to get the result of :  $\frac{3}{5} \times 2 + \frac{3}{5} \times 6 - \frac{3}{5} \times 3$

[b] Simplify :  $(2x - 3)(2x + 3) + 7$

[4] [a] Find two rational numbers between :  $\frac{1}{3}$  and  $\frac{1}{2}$

[b] What is the increase of :  $7x + 5y + z$  than  $2x + 6y + z$  ?

[5] [a] Factorize by taking out the H.C.F. :  $18x^2y^3 + 6x^3y^2 - 3x^2y^2$

[b] If the arithmetic mean of the values : 8 , 7 , 5 , 9 , 4 , 3 ,  $k + 4$  is 6 , find the value of : k

5

Giza Governorate

Omranya Directorate  
El-Sadat Governmental Language School



Answer the following questions :



تابعنا على صفحتنا على الفيسبوك  
www.facebook.com/ZakroolySite

[1] Choose the correct answer :

[1] The algebraic term  $7xy^3$  whose degree is .....

(a) 1 (b) 2 (c) 3 (d) 4

[2] The remainder of subtracting  $3x$  from  $5x$  is .....

(a)  $2x$  (b)  $-2x$  (c)  $8x$  (d)  $2x^2$

[3] The median of the values : 4 , 8 , 3 , 5 and 7 is .....

(a) 3 (b) 4 (c) 5 (d) 7

[4] If  $\frac{a}{b} = 1$  , then  $5a - 5b =$  .....

(a) zero (b) 1 (c) 3 (d) 5

[5] The mode of the values : 7 , 3 , 7 , 2 and 7 is .....

(a) 3 (b) 7 (c) 2 (d) 5

[6] If  $\frac{15}{x} = \frac{3}{4}$  , then  $x =$  .....

(a) 20 (b)  $-20$  (c) 5 (d)  $-5$

[2] Complete each of the following :

[1] The multiplicative inverse of  $-\frac{7}{5}$  is .....

[2] The additive identity element in  $\mathbb{Q}$  is .....



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



- 3 The mean of the numbers : 6 , 4 , 1 , 5 and 9 is .....
- 4 If  $\frac{x+3}{x-2} \in \mathbb{Q}$  , then  $x \neq$  .....
- 5 The rational number in half way between :  $\frac{1}{7}$  and  $\frac{5}{7}$  is .....

- 3 [a] Add :  $5x^2 - 7xy + 4y^2$  and  $4x^2 + 5xy - 9y^2$
- [b] Use the distribution property to find :  $\frac{8}{13} \times 11 + \frac{8}{13} \times 9 + \frac{8}{13} \times 6$

- 4 [a] Simplify :  $(x-5)(x+5) + 25$  , then find the value of the result if  $x = 3$
- [b] Find three rational numbers between :  $\frac{1}{3}$  and  $\frac{1}{2}$

- 5 [a] Factorize by taking out the H.C.F. :  $27x^3y^2 - 9x^2y^3 + 3xy$
- [b] The following table shows the distribution of marks of 20 students in an exam :

Marks	7	8	9	10	Total
No. of students	5	9	4	2	20

Find the mode of these marks.

## 6 Alexandria Governorate

Middle Educational Zone  
Math's Supervision



Answer the following questions :

لا تنس الاشتراك في  
قنوات ذاكرولي  
على تطبيق الجبرام

- 1 Complete each of the following :

- 1 If  $\frac{4}{6} = \frac{12}{x}$  , then  $x + 2 =$  .....
- 2 The multiplicative inverse of  $-\frac{2}{3}$  is .....
- 3  $\frac{1}{2} =$  ..... %
- 4 The rational number in half way between  $\frac{3}{5}$  and  $\frac{4}{5}$  is .....
- 5 If  $a + 3b = 7$  , and  $c = 3$  , then the numerical value of :  $a + 3(b + c)$  is .....
- 6 The arithmetic mean of the set of values : 2 , 3 , 8 , 2 , 5 equals .....

- 2 Choose the correct answer :

- 1  $0.0635 \approx$  ..... to the nearest hundredth.
- (a) 0.63 (b) 0.07 (c) 0.06 (d) 0.063
- 2  $0.7 + 0.\dot{3} =$  .....
- (a) 1 (b) 3.7 (c)  $0.\dot{3}7$  (d)  $1\frac{1}{30}$
- 3 If the order of the median of a set of values is the fourteenth, then the number of these values equals .....
- (a) 27 (b) 15 (c) 7 (d) 28



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



4  $(4x - 3)(x - 4) = \dots\dots\dots$

- (a)  $4x^2 - 19x - 12$  (b)  $4x^2 - 7$  (c)  $4x^2 - 12$  (d)  $4x^2 - 19x + 12$

5 The mode of the values : 3 , 3 , 4 , 4 , 5 , 3 is .....

- (a) 4 (b) 22 (c) 5 (d) 3

3 [a] Multiply :  $(2x + y)(x + 2y)$  , then find the numerical value at :  $x = 2$  ,  $y = 1$

[b] Use the distribution property to find :  $\frac{7}{12} \times \frac{23}{45} + \frac{17}{12} \times \frac{23}{45} - 2 \times \frac{23}{45}$

4 [a] Divide :  $x^3y - 4xy^2 + 6xy + x^2y^2$  by  $xy$

[b] Find three rational numbers between :  $\frac{4}{5}$  and  $\frac{2}{3}$

5 [a] Subtract :  $5x^2 + y^2 - 3xy$  from  $x^2 - 2xy + 3y^2$

[b] The following table shows the marks of Alaa in maths tests in 6 months :

Month	Oct.	Nov.	Dec.	Feb.	March	April
Mark	41	35	47	37	44	48

Find : 1 The median for the previous marks. 2 The mean for the previous marks.

## 7 Alexandria Governorate

El-Montaza Educational Zone  
Math's Supervision



Answer the following questions :

1 Choose the correct answer :

1 The additive inverse of the number  $(-\frac{1}{5})^0$  is .....

- (a) 1 (b) -1 (c) 5 (d)  $\frac{1}{5}$

2 The degree of the algebraic expression :  $3x^2 + 5xy^2 + 6y^2$  is .....

- (a) zero (b) second (c) third (d) fourth

3 If  $\frac{x}{y} = 1$  , then  $3x - 3y = \dots\dots\dots$

- (a) zero (b) 1 (c) 3 (d) 6

4 If the arithmetic mean of six values is 12 , then the sum of these values equals .....

- (a) 2 (b) 6 (c) 18 (d) 72

5 The rational number that lies at the midpoint of the distance between  $\frac{1}{4}$  and  $\frac{1}{3}$  is .....

- (a)  $\frac{1}{12}$  (b)  $\frac{7}{12}$  (c)  $\frac{3}{4}$  (d)  $\frac{7}{24}$

6 The length of a rectangle is  $2x$  cm. and its width is  $y$  cm. , then its perimeter = .....

- (a)  $2xy$  (b)  $3xy$  (c)  $2x + y$  (d)  $4x + 2y$



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



## 2 Complete :

1  $2x^3 \times 3xy = \dots\dots\dots$

2  $2\frac{1}{5} \times \dots\dots\dots = 1$

3 The remainder of subtracting  $(-3x)$  from  $(2x)$  is  $\dots\dots\dots$ 4 If the mode of the values : 7 , 5 ,  $a+3$  , 5 , 7 is 7 , then  $a = \dots\dots\dots$ 5 The median of the values : 5 , 9 , 7 , 4 , 3 , 8 is  $\dots\dots\dots$ 3 [a] Use the distribution property to find the value of :  $\frac{5}{17} \times 10 + \frac{5}{17} \times 23 + \frac{5}{17}$ .[b] Add :  $2a - 3b + 5c$  and  $3a + b - 5c$ [c] Divide :  $6x^2y^2 + 9x^2y^3$  by  $6x^2y^2$  ( $x \neq 0, y \neq 0$ )4 [a] If  $a + b = \frac{5}{4}$  and  $b + c = \frac{3}{4}$  , find the value of :  $a + 2b + c$ [b] From :  $5x^2 + 4x - 3$  subtract :  $4x^2 - 5x + 3$ [c] Simplify :  $(x-1)^2 + (x+3)(x-3)$ 5 [a] Factorize :  $12a^2b + 18a^3b^2$ [b] If  $a^2 = 25$  ,  $b^2 = 9$  and  $ab = 15$  , then find the value of :  $(a-b)^2$ [c] If the arithmetic mean of the values : 3 , 5 and  $x+2$  is 4 , then find the arithmetic mean of the two values :  $5-x$  ,  $5+2x$ [d] If the set of ages of pupils in one school is as follows :  $\{7, 9, 13, 6, 8, 12, 10, 14, 11\}$  , find the median age of this set.

8

El-Kalyoubia Governorate

Directorate of Education  
Math Supervision

Answer the following questions :

## 1 Choose the correct answer :

1  $|-5| - |2| = \dots\dots\dots$

(a) 3

(b) -7

(c) 10

(d) -3

2 If the arithmetic mean for the numbers 3 , 5 ,  $x$  is 4 , then  $x = \dots\dots\dots$ 

(a) 3

(b) 4

(c) 5

(d) 6

3 The remainder of subtracting  $9x$  from  $7x$  equals  $\dots\dots\dots$ (a)  $2x$ (b)  $-2x$ (c)  $16x$ 

(d) -2

4 If 6 , 5 , 12 and  $x$  are proportional numbers , then  $x = \dots\dots\dots$ 

(a) 8

(b) 10

(c) 5

(d) 7



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



5 The algebraic term  $3x^2y$  is of the ..... degree.

- (a) third (b) fourth (c) fifth (d) sixth

6 If the mode of the values : 7 , 5 ,  $x + 4$  , 5 , 7 is 5 , then  $x =$  .....

- (a) 1 (b) 4 (c) 5 (d) 7

2 Complete each of the following :

1  $5x^2 + 15xy = 5x(\text{.....} + \text{.....})$

2 12 % of 500 kg. = ..... kg.

3 The median of the values : 4 , 8 , 3 , 5 , 7 is .....

4 The rational number which hasn't a multiplicative inverse is .....

5 The rational number that lies one third of the way between 8 and 12 from the smaller number is .....

3 [a] Find three rational numbers that lie between :  $\frac{1}{2}$  and  $\frac{1}{3}$

[b] Simplify to the simplest form :  $(x + 5)^2 + (x + 2)(x - 2)$

4 [a] 1 Subtract :  $5x^2 + y^2 - 3xy - 1$  from  $6x^2 - 2xy + 3y^2$

2 Divide :  $x^2 - 5x + 6$  by  $x - 3$  (where  $x \neq 3$ )

[b] If  $a = \frac{3}{4}$  ,  $b = -\frac{5}{2}$  , find in the simplest form the numerical value of :  $\frac{a + b}{a - b}$

5 [a] The length of a rectangle is  $4x$  cm. and its width is  $3x$  cm. calculate its area.

[b] The following table shows Gehad's marks in mathematics exam in 6 months :

Month	October	November	December	February	March	April
Mark	20	25	42	27	40	50

Find the arithmetic mean of the marks.

9

El-Gharbia Governorate

East-Tanta Educational Directorate  
Al-Salam Language School



Answer the following questions :

1 Complete each of the following :

1  $\frac{3}{4} + 50\% = \text{.....}$

2  $\frac{4}{5} = \text{.....} \%$

3 The additive inverse of the number  $-\frac{2}{3}$  is .....

تابع جديد زاكروولي على  
فيسبوك  
تويتر  
وانس اب  
تليجرام



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



- [4] The most repeated value of a set of values is called .....
- [5] The smallest natural number is .....
- [6] If the arithmetic mean of the values : 8 ,  $x$  , 7 , 5 is 6 , then  $x =$  .....

**2 Choose the correct answer :**

- [1] The number  $\frac{5}{3} >$  .....
- (a)  $\frac{10}{3}$  (b)  $\frac{25}{9}$  (c)  $\frac{10}{6}$  (d)  $\frac{3}{5}$
- [2] If  $3a = 27$  and  $a = 1$  , then  $b =$  .....
- (a)  $\frac{1}{9}$  (b)  $\frac{1}{5}$  (c) 5 (d) 9
- [3] The coefficient of the algebraic term  $-5x^2y$  is .....
- (a) 5 (b) -5 (c) 3 (d) -3
- [4] The median of the values : 11 , 18 , 7 , 10 , 21 is .....
- (a) 10 (b) 11 (c) 7 (d) 21
- [5] The H.C.F. of :  $10x^2 + 5x$  is .....
- (a)  $2x$  (b)  $5x$  (c) 5 (d)  $x$

[3] [a] Add :  $2a - 3b + 5c$  and  $3a + b - 5c$

[b] Divide :  $x^2 + 6x + 5$  by  $x + 5$  (where  $x \neq -5$ )

[4] [a] Use the property of distribution to find the value of :

$$\frac{6}{37} \times 7 + \frac{6}{37} \times 5 + \frac{6}{37} \times (-11)$$

[b] Factorize by identifying the H.C.F. :  $27x^4 - 18x^3$

[5] [a] Add :  $2x + y + 5$  and  $3x + 2y - 1$

[b] [1] Find the mode of : 2 , 4 , 7 , 4 , 5

[2] Find the median of : 4 , 8 , 3 , 5 , 7

**10** El-Dakahlia Governorate

Math's Supervision



**Answer the following questions :**

**1 Choose the correct answer :**

[1] If  $a \times \frac{b}{3} = \frac{a}{3}$  , then  $b =$  .....

- (a)  $\frac{a}{3}$  (b) 0 (c)  $a$  (d) 1



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



2 If the mode of the values : 7 , 5 ,  $y + 3$  , 5 and 7 is 7 , then  $y = \dots\dots\dots$

- (a) 3 (b) 4 (c) 5 (d) 7

3 The algebraic term  $2^2 x^3 y^2$  is of the  $\dots\dots\dots$  degree.

- (a) third (b) fourth (c) fifth (d) seventh

4  $(15x^4 + 5x^3) \div 5x^3 = \dots\dots\dots$

- (a)  $3x^2 + x$  (b)  $5x^2 + 1$  (c)  $3x + 1$  (d)  $4x^4$

5 The rational number that lies in half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is  $\dots\dots\dots$

- (a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$

6 The additive inverse of the number  $\left(\frac{1}{2}\right)^{\text{zero}}$  is  $\dots\dots\dots$

- (a) 2 (b) -1 (c) 1 (d) -2

2 Complete each of the following :

1 The order of the median for the values : 4 , 8 , 7 , 5 , 3 is  $\dots\dots\dots$

2  $0.18 - 30\% = \dots\dots\dots$

3 If  $(2x + y)^2 = 4x^2 + kxy + y^2$  , then  $k = \dots\dots\dots$

4 If  $\frac{5}{a+2}$  is a rational number , then  $a \neq \dots\dots\dots$

5 The arithmetic mean for the values : 18 , 35 , 24 , 7 is  $\dots\dots\dots$

3 [a] Use the distribution property to find the value of :

$$\frac{7}{12} \times \frac{23}{45} + \frac{17}{12} \times \frac{23}{45} - 2 \times \frac{23}{45}$$

[b] Subtract :  $(-x^2 - 4x + 7)$  from  $(3x^2 - 4x - 2)$

4 [a] Factorize by identifying the H.C.F. :  $3a(4a + 5b) - 2b(4a + 5b)$

[b] Find three rational numbers between :  $\frac{4}{5}$  and  $\frac{2}{3}$

5 [a] Simplify to the simplest form :  $(y - 3)(y + 3) + 9$

[b] The following table shows a student's marks of mathematics in 6 months :

Month	Oct.	Nov.	Dec.	Feb.	March	April
Mark	41	35	47	37	44	48

Find : 1 The median for the previous marks.

2 The mean for the previous marks.



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



11

Suez Governorate

Directorate of Education  
Mathematics Inspectorate

Answer the following questions :

1 Choose the correct answer :

1 The multiplicative inverse of  $\left(\frac{1}{2}\right)^0$  is .....

- (a) 2 (b) -2 (c) 1 (d) -1

2 The degree of the algebraic term  $6x^3y^2$  is ..... degree.

- (a) third (b) fourth (c) fifth (d) sixth

3  $2ab^2 \div \text{zero} = \dots\dots\dots$ 

- (a) undefined. (b) zero. (c)  $ab$  (d)  $2ab^2$

4 If the mode of the values : 7 , 5 ,  $x+4$  , 5 , 7 is 5 , then  $x = \dots\dots\dots$ 

- (a) 7 (b) 4 (c) 5 (d) 1

5 If  $\frac{5}{x+2}$  is a rational number , then  $x \neq \dots\dots\dots$ 

- (a) -2 (b) 0 (c) 2 (d) 5

6 The number that lies half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is .....

- (a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$

2 Complete :

1  $2\frac{1}{5} \times \dots\dots\dots = 1$ 

2 If the order of the median of the values is fourteenth , then the number of these values is .....

3 The result of subtracting  $-7x$  from  $2x$  is .....4  $(2x-3)(x+5) = 2x^2 + \dots\dots\dots - 15$ 

5 The arithmetic mean of the values : 1 , 6 , 8 , 4 , 6 is .....

3 [a] By using the distribution property , find the value of :  $\frac{3}{7} \times 2 + \frac{3}{7} \times 6 - \frac{3}{7}$ [b] Find three rational numbers between :  $\frac{1}{2}$  and  $\frac{1}{3}$ 4 [a] Find the quotient :  $2x^2 + 13x + 15$  by  $x+5$ [b] Simplify to its simplest form :  $(x+3)(x-3) + 9$   
 , then find the numerical value at  $x=5$ 5 [a] What is the increase of :  $7x + 5y + 2$  than  $2x + 6y + 7$  ?[b] Factorize by taking out the H.C.F :  $12a^2b + 18a^3b^2$ 

هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



12

Port Said Governorate

East Educational Administration  
Math Orientation

Answer the following questions :

1 Complete each of the following :

- 1  $24 x^4 y^6 = 6 x^2 y^3 \times \dots\dots\dots$
- 2 The remainder of subtracting  $-3x$  from  $2x$  is  $\dots\dots\dots$
- 3  $1, 1, 2, 3, 5, 8, \dots\dots\dots$  (in the same pattern).
- 4 If the mode of the values :  $7, 5, a+3, 5, 7$  is  $7$ , then  $a = \dots\dots\dots$
- 5  $5x^2 + 15xy = 5x(\dots\dots\dots + \dots\dots\dots)$

2 Choose the correct answer from those given :

- 1 The algebraic term  $8x^3y^2$  is of the  $\dots\dots\dots$  degree.  
(a) third (b) fourth (c) fifth (d) sixth
- 2 The rational number that lies in half way between  $\frac{1}{3}$  and  $\frac{5}{9}$  is  $\dots\dots\dots$   
(a)  $\frac{2}{3}$  (b)  $\frac{3}{4}$  (c)  $\frac{4}{9}$  (d)  $\frac{5}{27}$
- 3 The multiplicative inverse of the number  $\left(\frac{1}{2}\right)^{\text{zero}}$  is  $\dots\dots\dots$   
(a) 2 (b) -2 (c) 1 (d) -1
- 4 If  $\frac{5}{x+2}$  is a rational number, then  $x \neq \dots\dots\dots$   
(a) -2 (b) zero (c) 2 (d) 5
- 5 The median of the values :  $5, 4, 7$  is  $\dots\dots\dots$   
(a) 4 (b) 5 (c) 7 (d) 16
- 6 If the arithmetic mean for the set of values :  $3, 5, x+2$  is 4  
then the arithmetic mean for the two values :  $5-x, 5+2x$  is  $\dots\dots\dots$   
(a) 6 (b) 4 (c) 3 (d) 2

3 [a] Use the distribution property to find the value of :  $\frac{3}{7} \times 2 + \frac{3}{7} \times 6 - \frac{3}{7}$ [b] Find three rational numbers that lie between :  $\frac{1}{2}$  and  $\frac{1}{3}$ 4 [a] What is the increase of :  $7x + 5y + z$  than  $2x + 6y + z$ ?[b] Divide :  $14x^2y - 35xy^2 + 7xy$  by  $7xy$ ,  $x \neq \text{zero}$ ,  $y \neq \text{zero}$ 5 [a] Simplify to the simplest form :  $(x-3)(x+3) + 9$ 

هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



[b] The following table shows Gehad's marks of mathematics in 6 months :

Month	October	November	December	February	March	April
Mark	30	35	42	37	44	50

Find the arithmetic mean of the marks.

### 13 Kafr El-Sheikh Governorate

Mathematics Inspectorate  
Language Schools



Answer the following questions :

#### 1 Choose the correct answer :

- [1] The median of the values : 7 , 3 , 4 , 5 , 2 is .....  
(a) 7 (b) 5 (c) 4 (d) 3
- [2] The rational number  $\frac{x-7}{x+3} = \text{zero}$  , when .....  
(a)  $x = -3$  (b)  $x = 7$  (c)  $x \neq 3$  (d)  $x \neq 7$
- [3] The quotient of dividing  $2.25 \div 1.5 = \dots\dots\dots$   
(a) 1.5 (b) 15 (c) 0.15 (d) 500
- [4] The arithmetic mean of the numbers : 3 , 9 , 1 , 7 is .....  
(a) 20 (b) 5 (c) 4 (d) 3
- [5]  $(x^2 + x) \div x = \dots\dots\dots$   
(a) zero (b)  $x$  (c)  $2x + 1$  (d)  $x + 1$
- [6]  $|\frac{-5}{3}| \dots\dots\dots \text{zero.}$   
(a)  $<$  (b)  $=$  (c)  $>$  (d)  $\leq$

#### 2 Complete :

- [1]  $6b^3 = 2b \times \dots\dots\dots$
- [2] The mode of the values : 7 , 5 ,  $a + 4$  , 5 , 7 is 7 , then  $a = \dots\dots\dots$
- [3] The additive inverse of  $[4 \times (-1 \frac{1}{4})]$  is .....  
[4] The degree of the algebraic term :  $3^2 x^2 y^2$  is .....  
[5] The rational number that hasn't a multiplicative inverse is .....

#### 3 [a] Subtract : $5x^2 + y^2 - 3xy$ from $x^2 - 2xy + 3y^2$

[b] Use the distribution property to find :  $\frac{5}{7} \times 5 + \frac{5}{7} \times 10 - \frac{5}{7}$

[c] Simplify :  $(2x + 3)(2x - 3) + 7$



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



4 [a] If  $x = \frac{3}{4}$  ,  $y = -\frac{5}{2}$  , find the numerical value of :  $(x - y) \div (x + y)$

[b] Divide :  $6x^2 - xy - 15y^2$  by  $2x + 3y$  where  $(2x + 3y) \neq 0$

[c] Add :  $3a^2 + 2a + 5$  and  $2a^2 - 5a + 3$

5 [a] Factorize by identifying the H.C.F. :  $12xy^3 + 18xy^2$

[b] Find four rational numbers between : zero and  $\frac{1}{2}$

[c] The following table shows Gehad's marks of mathematics in 6 months :

Months	October	November	December	February	March	April
Marks	31	35	42	36	46	50

Find : 1 The arithmetic mean.

2 The median.

## 14 El-Menia Governorate

Maghagha Educational Directorate  
St. Mark & El Tewfik Schools



Answer the following questions :

1 Choose the correct answer :

1 The number  $\frac{x-3}{x+5}$  is a rational number if  $x \neq \dots\dots\dots$

- (a) 3 (b) -5 (c) 5 (d) -3

2 The mode of the values : 3 , 3 , 4 , 4 , 5 , 3 is  $\dots\dots\dots$

- (a) 4 (b) 22 (c) 5 (d) 3

3  $\frac{3y}{5} - \frac{y}{5} = \dots\dots\dots$

- (a)  $\frac{2}{5}$  (b)  $\frac{y}{5}$  (c)  $\frac{2y}{5}$  (d)  $2y$

4 The algebraic expression :  $x^3 - 3x^2 + 4$  is of the  $\dots\dots\dots$  degree.

- (a) 1<sup>st</sup> (b) 2<sup>nd</sup> (c) 3<sup>rd</sup> (d) 4<sup>th</sup>

5 If  $\frac{15}{x} = \frac{-3}{4}$  , then  $x = \dots\dots\dots$

- (a) -20 (b) -5 (c) 5 (d) 20

6  $(x + y)(x - y) = \dots\dots\dots$

- (a)  $2x$  (b)  $(x - y)^2$  (c)  $x^2$  (d)  $x^2 - y^2$

2 Complete the following :

1 The mean of the numbers : 10 , 4 , 7 , 3 , 1 is  $\dots\dots\dots$

2 If  $(x - y)(3x + 2y) = 3x^2 + kxy - 2y^2$  , then  $k = \dots\dots\dots$



هذا العمل حصري على موقع ذاكرولى التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>



- 3 The coefficient of the algebraic term  $(-5xy^2)$  is .....
- 4 The rational number which hasn't a multiplicative inverse is .....
- 5 If the order of the median of a set of values is fourth, then the number of these values is .....

3 [a] Find three rational numbers lying between :  $\frac{1}{3}$  and  $\frac{1}{2}$

[b] Simplify :  $(2x + 3)^2 - 12x$ , then find the numerical value of the result at  $x = -2$

4 [a] Using the distribution property, find the value of :  $\frac{3}{7} \times 10 + \frac{3}{7} \times 5 - \frac{3}{7}$

[b] Divide :  $(x^2 + 6x + 5)$  by  $(x + 5)$  where  $(x \neq -5)$


5 [a] Factorize by taking out the H.C.F. :  $3m^4n^2 - 6m^3n^3 + 9m^2n^4$

[b] Subtract :  $(-x^2 - 4x + 7)$  from  $(x^2 - 4x - 2)$

[c] Find k if the arithmetic mean of the values : 27, 8, 16, 24, 6, k is 14

15

Aswan Governorate

M.M. Yeckoub English Language  
Government School

Answer the following questions :

1 Choose the correct answer :

- 1 The algebraic term  $6x^3y$  is of the ..... degree.  
(a) first (b) fourth (c) sixth (d) fifth
- 2 The mode of the values : 7, 5,  $x + 4$ , 5, 7 is 5, then  $x =$  .....  
(a) 1 (b) 4 (c) 5 (d) 7
- 3 If the rational number  $\frac{x-2}{x+3} = 0$ , then the value of  $x =$  .....  
(a) 1 (b) 2 (c) -2 (d) -3
- 4 The multiplicative inverse of the number  $3\frac{2}{5}$  is .....  
(a)  $-3\frac{2}{5}$  (b)  $3\frac{2}{5}$  (c)  $\frac{17}{5}$  (d)  $\frac{5}{17}$
- 5 Subtracting  $-2x$  from  $3x$  equals .....  
(a)  $x$  (b)  $-5x$  (c)  $5x$  (d)  $-6x^2$
- 6  $(3x + 5)(x + 2) = 3x^2 + \dots + 10$   
(a) -7 (b)  $11x$  (c)  $5x$  (d)  $7x$



## 2. Complete :

[1]  $5x^3y^3 \times \dots = 15x^4y^5$

[2] If  $\frac{x}{y} = 1$ , then  $5x - 5y = \dots$

[3]  $1\frac{2}{5} \times \dots = 1$

[4] The number that lies at half way between  $\frac{1}{4}$  and  $\frac{5}{8}$  is  $\dots$

[5] The median for the values : 4 , 8 , 3 , 5 , 7 is  $\dots$

3 [a] Add :  $3x - 2y + 5$  and  $x + 2y - 2$

[b] Find three rational numbers that lie between :  $\frac{1}{4}$  and  $\frac{1}{2}$

4 [a] Use the distribution property to calculate :

$$\frac{7}{12} \times \frac{23}{45} + \frac{17}{12} \times \frac{23}{45} - 2 \times \frac{23}{45}$$

[b] Divide :  $21x^2y - 7xy + 35xy^3$  by  $7xy$

5 [a] What is the increase of :  $8x + 4y + 3z$  than  $2x + 6y - z$ ?

[b] Simplify to the simplest form :  $(5x - 2)^2 - (5x - 2)(5x + 2) + 7$

[c] The following table shows Habiba's marks of mathematics in 6 months :

The month	Oct.	Nov.	Dec.	Feb.	March.	April
The mark	41	35	47	37	44	48

Find the arithmetic mean of the marks.

اكتب ذاكرولي في البحث وانضم لجروبنا ذاكرولي  
 مع رياض الاطفال للصف الثالث الاعدادي

تابعنا على صفحتنا على الفيسبوك  
[www.facebook.com/ZakroolySite](https://www.facebook.com/ZakroolySite)

تابع جديد ذاكرولي على موقعنا  
<https://www.zakrooly.com>

نفوقه في أي عمل عليه العلامة دي

هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي مواقع أخرى  
 للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>